



High Tech

BITUMEN BLACK PRIMER

High Tech Bitumen Black Primer is a high quality bitumen emulsion primer designed to provide excellent adhesion, waterproofing and vapor-proof protection for a wide range of surfaces.

It is a flexible, easy to apply primer that penetrates and seals porous surfaces, enhancing bonding of waterproofing membranes and coatings. Ideal for both horizontal and vertical applications.

ADVANTAGES

- ✓ Adheres strongly to most substrates.
- ✓ Improves surface appearance and water resistance.
- ✓ Single component, water based, and non-toxic.
- ✓ Economic, easy application, reduces labor costs.
- ✓ Suitable for wet and damp surfaces.
- ✓ Unaffected by high temperatures.
- ✓ Highly resistant to aggressive soils and contaminated groundwaters.
- ✓ UV stable, dries quickly and easy to apply.

TYPICAL PROPERTIES AT 25°C

Appearance	Liquid
Color	Dark Brown
Density @ 25°C (approx.)	0.98 – 1.03 g/cc
Solids by weight	35 % – 45 %
Drying time (touch)	2 – 4 hours
Application Temperature	5°C – 40°C
Flash Point	Non Flammable
Full Cure	24 hours
Shelf Life	12 Months

**Typical results under laboratory conditions*



📍 Susan Road, near P.I.A, Officer Colony 1, office, 38000
☎ 03007888881



High Tech BITUMEN BLACK PRIMER

APPLICATION

High Tech Bitumen Black Primer is used as a bonding primer for waterproofing membranes. It is suitable for concrete, masonry, metal, wood and other porous surfaces. Apply by brush, roller or spray on a clean and dry surface before application of bitumen based waterproofing systems.

RECOMMENDED USES

- Waterproofing and tanking substructures for wet areas.
- Damp-proofing of floors and roof slabs.
- Suitable for basements and retaining walls.
- Ideal for insulation decks and roofs.
- Protection of a curing membrane.
- Application in foundation wall beneath channels.
- Protects concrete structures and metal surfaces.
- Suitable for tie bar holes.

SHELF LIFE

12 months from the date of manufacture when stored in original sealed packing in a dry and cool place. Extreme temperature / humidity may reduce shelf life.

PACK SIZE

High Tech Bitumen Black Primer is available in the following pack size.

- 20 Litre Pail
- 5 Litre Pail



Susan Road, near P.I.A, Officer Colony 1, office, 38000



03007888881



<https://hightechchemicals.com/>



High Tech

BITUMEN BLACK PRIMER

PACKAGING

High Tech Bitumen Black Primer is available in the following pack size.

PACK SIZE	PACKAGING
20 Litre Pail	Plastic Pail
5 Litre Pail	Plastic Pail



NOTE:

- If printed packaging not available, neutral packaging with label.

Lot number and manufacturing date to be stamped at the back of each pail.

